

In The Hoop Coffee Cozy


By: Meredith McClanahan



Has your coffee cup ever been too hot to hold? Or would you like to be more “green” with having a reusable cozy? Then this is the project for you! It’s ALL done in the hoop & can be customized within the mySewnet™ Software.

Shopping List:

- HUSQVARNA® VIKING® Embroidery Machine
- **Sensor Q-Foot:**
 - Machine Group 8 & 9: Part #68017593
 - Machine Group 7: Part #413192045
- **INSPIRA™ Aqua Magic Stabilizer:**
 - 12" x 25yds: Part #620114396
 - 8" x 25yds: Part #620114296
- **DESIGNER™ Royal Hoop (360 x 200mm) -**
Part #412944501
- Coordinating Robison Anton 40 wt Rayon Embroidery Thread & Bobbin Thread
- Coordinating 50 wt Cotton Thread
- HUSQVARNA® VIKING® Embroidery Needle: Size 90/14 - Part #920665096
- HUSQVARNA® VIKING® Universal Needle: Size 80/12 - Part #920537096
- **SINGER® SteamCraft Steam Iron & Ironing Board**
- 2(5" x 14") Main Cotton Print
- 1(5" x 14") Cotton Batting
- Elastic - 3½"
- Coordinating Button
- Coffee Cup
- Scissors
- Masking Tape
- Water Soluble Pen
- Provided mySewnet Embroidery Design



Machine Preparation:


1. Remove the presser foot ankle.
2. Attach the Sensor Q-Foot.
3. Insert a HUSQVARNA® VIKING® Embroidery Needle size 90/14 needle into your machine.
4. Thread your machine with Robison Anton 40 wt Rayon Embroidery Thread & Bobbin Thread
5. Hoop INSPIRA™ Aqua Magic Stabilizer into the DESIGNER™ Royal Hoop.
6. Load the provided Coffee Cozy embroidery design. (150123001)
7. Place the embroidery hoop onto the embroidery arm.

Instructions:

1. Press start to stitch out the placement stitch for the coffee cozy.



2. Place decorative fabric right side up over the placement stitch.
3. Press start to stitch out the tack down stitch for the coffee cozy.



4. Press start to stitch out the placement stitch for the elastic loop.
5. Remove the hoop from the embroidery arm.
6. Fold the elastic piece in half & line it up in the middle over the placement stitch with the 1" overhang towards the center of the coffee cozy. Tape to hold in place.




7. Place the embroidery hoop back onto the embroidery arm.


8. Press start to tack down the elastic that was taped in place.



9. OPTIONAL: If you wanted to customize your coffee cozy this is the place where you would insert your personalized design directly on the machine or within the mySewnet Embroidery Software.



12. Press start to stitch out the final tack down stitch around the coffee cozy.



13. Remove the embroidery hoop from the embroidery arm.
14. Remove the coffee cozy stitch out from the embroidery hoop.
15. Cut close around the outline stitch leaving a ¼" seam allowance where you'll turn the coffee cozy right side out.



16. Press the ¼" seam allowance back towards itself to create a straight edge.

Pro-Tip: We've found it easier to press the fabric straight at this point before turning the coffee cozy right side out.



17. Turn the coffee cozy right side out.



18. Remove the Sensor Q-Foot.
19. Place the ankle back on the machine with the A-Foot on it.

20. Replace the embroidery needle with a universal needle - size 80/12.
21. Thread your machine & bobbin with coordinating 50 wt Cotton Thread
22. Select a universal straight stitch with a length of 2.5mm.
23. Sew around the coffee cozy $\frac{1}{8}$ " being mindful to sew the opening closed.



24. Wrap the finished cozy around a standard coffee cup.



25. With your marking pen, place a dot where the elastic meets the other size of the cozy. Give the elastic just a little stretch so that when the button is sewn on the cozy will hold snugly.



26. Attach the button using your sewing machine or by hand sewing.
27. Enjoy a warm drink without the fear of your hand getting too warm!

